Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("20060001613").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/07 14:29
S2	2	(("5594463") or ("5949194")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/07 14:30
S3	0	("2002175634").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/07 16:17
S4	1	("20020175634").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/07 16:18
S5	1	("6617801").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/07 16:18
S6	9	("5793163"   "6351076"   "6473064"   "6496168").PN. OR ("6617801").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/07 16:19
S7	46	("4736137"   "4983885"   "5066945"   "5093654"   "5311169"   "5315695"   "5451978").PN. OR ("5594463").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/07 16:30
S8	2569	345/76-77.ccls.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/08 09:24
S9	4	(("6518962") or ("6414661") or ("6738031") or ("20060038758")). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/11 10:56
S10	1	("6102355").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/10 16:50
S11	460	((EL or eletroluminescent) adj2 display) and (voltage near2 (sens\$3 or detect\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/11 15:22
S14	3717	345/76-83.ccls.	US-PGPUB; USPAT	AND	ON	2008/01/11 11:00
S15	107	S11 S14	US-PGPUB; USPAT	AND	ON	2008/01/11 11:04
S16	1240193	@rlad < "20021806"	US-PGPUB; USPAT	AND	ON	2008/01/14 09:09

			1	· · · · · · · · · · · · · · · · · · ·	1	
S17	4	S15 S16	US-PGPUB; USPAT	AND	ON	2008/01/11 11:05
S18	12	((EL or eletroluminescent) adj2 display) and ((voltage near2 (sens\$3 or detect\$3)) near4 plurality)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/11 11:26
S19	23	("3733435"   "4525710"   "4635127"   "4675798"   "5130703").PN. OR ("5583528"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/11 11:17
S20	23	((EL or eletroluminescent) adj2 display) and (((current or voltage) near2 (sens\$3 or detect\$3)) near4 plurality)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/11 15:23
S21	17	((EL or eletroluminescent) adj2 display) and (((current or voltage) near2 (measur\$4)) near4 plurality)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/11 11:35
S22	297737	((EL or eletroluminescent or LED or OLED or (light adj emitting adj diode)) and display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/14 09:06
S23	188	((row adj "by" adj row) or (line adj period) or (frame adj period)) near4 (supply near3 (power or voltage or current))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/11 16:05
S24	121	S22 S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/11 15:56

S25	24	S16 S24	US-PGPUB; USPAT;	AND	ON	2008/01/11 15:56
			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S26	75106	(voltage adj drop) and (voltage near2 (detect\$4 or sens\$4 or control\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/11 16:09
S27	5726	S22 S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/11 16:07
S29	1764	S22 S26 S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/11 16:07
S30	111	(voltage near2 (correct\$4 or compensat\$4)) same (frame adj period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/11 16:12
S31	2	S29 S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/11 16:27
S33	1	S30 S16 S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/11 16:41

			110 000110	00	0.55	2000/04/44 00 04
S34	1	("4707692").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 09:01
535	962	((voltage or power) near2 (suppl\$4 or compensat\$4)) same (frame adj (period or interval))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/14 15:09
S38	297991	((EL or eletroluminescent or LED or OLED or (light adj emitting adj diode)) and display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 11:09
S40	111	S35 S38 and (voltage adj drop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/14 09:07
S41	1240191	@rlad < "20021806"	US-PGPUB; USPAT	AND	ON	2008/01/14 15:41
S43	1	("5990629").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 09:59
S46	1712	passive adj matrix adj display	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/14 11:43
S47	10	S35 S46	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/14 11:43
S48	1960	((voltage or power) near4 (suppl\$4 or compensat\$4 or induc\$4)) same (frame adj3 (period or interval or time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/14 13:20
S49	24	S46 S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/14 13:16

S50	2422	((voltage or power) near4 (driv\$4 or operating or operation)) same	US-PGPUB; USPAT;	AND	ON	2008/01/14 13:21
		(frame adj3 (period or interval or time))	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S53	2698	315/169.3.ccls.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/14 14:00
S55	439	((voltage or power) near2 (suppl\$4 or compensat\$4)) same (frame adj (memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/14 14:46
S57	63	((voltage or power) near2 (suppl\$4 or compensat\$4)) same (frame adj (memory)) same period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/14 14:47
S59	3	(("6414661") or ("6738031") or ("6518962")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 15:21
S60	2430	(current or voltage) same (compensat\$4 or adjust\$4 or suppl\$3) same ((row or line) adj2 period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/14 15:35
S61	524	S38 S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/14 15:24
S62	70	S38 S41 S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/14 15:24

	4555	( )	110 000:10	4115	01:	2000/04/44 4 7 27
S63	1888	(voltage) same (compensat\$4 or adjust\$4 or suppl\$3) same ((row or line) adj2 period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/14 15:35
S64	53	S63 S41 S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/14 15:36
S65	4407426	(@rlad < "20021806") or (@ad < "20021806")	US-PGPUB; USPAT	AND	ON	2008/01/15 16:02
S66	4102056	(@ad < "20021806")	US-PGPUB; USPAT	AND	ON	2008/01/14 15:42
S67	157	S63 S65 S38	US-PGPUB; USPAT	AND	ON	2008/01/14 15:44
S68	50	S63 S65 S38 and (voltage adj drop)	US-PGPUB; USPAT	AND	ON	2008/01/14 15:44
S69	46	("4736137"   "4983885"   "5066945"   "5093654"   "5311169"   "5315695"   "5451978").PN. OR ("5594463").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/14 16:46
S70	1	"6707437".pn. and period	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/14 16:46
S71	26	("20010013758"   "20020195966"   "20030038792"   "20030063108"   "20030076049"   "20040001039"   "4904895"   "5066883"   "5434599"   "5442370"   "5477110"   "5489910"   "5569974"   "5593335"   "5594463"   "5619221"   "5646643"   "5654607"   "5682085"   "5734361"   "6195076"   "6294876"   "6400348"   "6404135"   "6489940"   "6703792").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/15 09:23
S74	2	(thomas near rebeschi).in. and 315/169.3.ccls.	US-PGPUB; USPAT	AND	ON	2008/01/15 09:26
S75	47	("3813575"   "3908150"   "4642524"   "4686426"   "4736137"   "4983885").PN. OR ("5075596"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/15 09:50
S77	3370	(current adj source) same (current adj sink)	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/15 11:26

S78	298134	((EL or eletroluminescent or LED or OLED or (light adj emitting adj diode)) and display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 15:59
S79	218	S77 S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 11:09
S80	4408007	(@rlad < "20021806") or (@ad < "20021806")	US-PGPUB; USPAT	AND	ON	2008/01/15 11:10
S81	138	S77 S78 S80	US-PGPUB; USPAT	AND	ON	2008/01/15 11:10
S82	41	S77 S78 S80 and ("345".clas. or "315".clas.)	US-PGPUB; USPAT	AND	ON	2008/01/15 11:11
S83	116	(current adj source) same (current adj sink) same advantage	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/15 11:28
S84	6	S83 S78	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/15 11:28
S85	298134	((EL or eletroluminescent or LED or OLED or (light adj emitting adj diode)) and display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/16 09:54
S86	6569	(plurality or multiple) near5 voltage near5 (sensor or detect\$4 or compensat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON .	2008/01/16 09:55
S87	636	S85 S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON .	2008/01/15 16:01

600		COE COS   1 (112 45"   1   112 5")	HC DCCHE	AND	011	2000/04/45 45 55
S88	134	S85 S86 and ("345".clas. or "315".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 16:02
S89	4408007	(@rlad < "20021806") or (@ad < "20021806")	US-PGPUB; USPAT	AND	ON	2008/01/16 09:55
S90	33	S88 S89	US-PGPUB; USPAT	AND	ON	2008/01/15 16:03
S91	23	("3733435"   "4525710"   "4635127"   "4675798"   "5130703").PN. OR ("5583528"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/15 16:43
S92	1	("7009603").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/15 16:43
S93	8	("20020167471"   "20020167474"   "20020167475"   "5684368"   "6335713"   "6369786"   "6594606"   "6788298").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/16 09:53
S97	3156	(frame adj2 frame) same voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/16 09:54
S98	298134	((EL or eletroluminescent or LED or OLED or (light adj emitting adj diode)) and display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/16 11:25
S99	536	S97 S98	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/16 09:55
S10 0	398197	voltage near5 (sensor or detect\$4 or compensat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/16 09:55

	r					
S10 1	4408007	(@rlad < "20021806") or (@ad < "20021806")	US-PGPUB; USPAT	AND	ON	2008/01/16 11:26
S10 2	75	S97 S98 S100 S101	US-PGPUB; USPAT	AND	ON	2008/01/16 10:49
S10 3	1	("4,586,039").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/16 10:49
S10 4	10	("4430748"   "5170155"   "5172105"   "5489918"   "5508716"   "5596344"   "5726672").PN. OR ("6121961").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/16 11:25
S10 5	4383	(frame or vertical) adj (period or time) same voltage	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/16 11:27
S10 6	298134	((EL or eletroluminescent or LED or OLED or (light adj emitting adj diode)) and display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/16 11:25
S10 7	4408007	(@rlad < "20021806") or (@ad < "20021806")	US-PGPUB; USPAT	AND	ON	2008/01/16 11:26
S10 9	770	S105 S106 S107	US-PGPUB; USPAT	AND	ON	2008/01/16 11:26
S11 0	489	S105 S106 S107 and ("345".clas. or "315".clas.)	US-PGPUB; USPAT	AND	ON	2008/01/16 11:27
S11 1	370	(frame or vertical) adj (period or time) same voltage same (adjustment or compensat\$4)	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/16 11:28
S11 2	27	S111 S106 S107	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/16 13:41
S11 3	498	(frame adj2 frame) same (voltage near5 (suppl\$4 or compensat\$4 or adjust\$4))	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/16 13:43
S11 4	120	S106 S113	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/16 13:51
S11 5	1	("6888318").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/16 13:51
S11 9	1	("5075596").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/17 07:48

S12 0	1	("6518962").PN.	US-PGPUB; USPAT;	OR	OFF	2008/01/17 10:34
	-		USOCR			